

BRAVA ROOF TILE

FLORIDA PRODUCT APPROVALS



Based on the limitations referenced below and verified by QAI Laboratories Ltd, these products meet all applicable requirements of the 8th Edition (2023) Florida Building Code, including the High Velocity Hurricane Zone (HVHZ) provisions.

PRODUCT DESCRIPTION	FLORIDA PRODUCT APPROVAL	EVALUATION REPORT
BRAVA CEDAR SHAKE Class A and Class C Fire Rating - Brava Cedar Shake polymeric roof coverings simulating natural wood, available in Class A and Brava One* formulations.	<u>FL# 41880.1</u> Approved for use in HVHZ Florida Building Code Version: 2023 - Limits of Use: Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +N/A/-196	<u>CERus-1014</u> Code Evaluation Report - QAI Laboratories has validated testing and code compliance when installed according to published installation instructions .
BRAVA SLATE and BRAVA MULTI-WIDTH SLATE Class A and Class C Fire Rating - Brava Slate polymeric roof coverings simulating natural slate, available in Class A and Brava One* formulation options.	<u>FL# 41880.2</u> Approved for use in HVHZ Florida Building Code Version: 2023 - Limits of Use: Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +N/A/-206	<u>CERus-1014</u> Code Evaluation Report - QAI Laboratories has validated testing and code compliance when installed according to published installation instructions .
BRAVA SPANISH BARREL TILE Class A and Class C Fire Rating - Brava Spanish Barrel Tile polymeric roof coverings simulating clay barrel tile, available in Class A [†] and Brava One* formulations.	<u>FL# 41880.3</u> Approved for use in HVHZ Florida Building Code Version: 2023 - Limits of Use: Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +N/A/-202	<u>CERus-1014</u> Code Evaluation Report - QAI Laboratories has validated testing and code compliance when installed according to published installation instructions .
BRAVA FLAT TILE Class A and Class C Fire Rating - Brava Flat Tile polymeric roof coverings simulate concrete roof tiles, available in Class A and Brava One* formulation options.	<u>FL# 41880.4</u> Approved for use in HVHZ Florida Building Code Version: 2023 - Limits of Use: Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +N/A/-109	<u>CERus-1014</u> Code Evaluation Report - QAI Laboratories has validated testing and code compliance when installed according to published installation instructions .

*Brava One Formulation is rated as Class C when installed with standard underlayment. Brava Cedar Shake and Brava Slate Systems have been tested and certified as Class A when installed under Brava Cedar Shake and Brava Slate when specified fire-resistant (FR) underlayments are used.

[†]Brava Spanish Barrel Tile can be installed as a Class A Fire Rated system when Class A material is installed over GAF VersaShield FR underlayment.

CAO 08/19/2024