



Florida Product Approvals

Based on the limitations referenced below and verified by QAI Laboratories Ltd, these products meet all applicable requirements of the 8th Edition **2023 Florida Building Code, including for High Velocity Hurricane Zones (HVHZ)**. View extract source information on the [Florida Department of Business & Professional Regulation \(dbpr\)](#) page.

Product Name	Florida Product Approval	Evaluation Report
BRAVA CEDAR SHAKE Polymeric Roof Coverings Simulating Natural Wood Shake Class A and Class C Fire Ratings Available*	<u>FL# 41880.1</u> Approved for use in HVHZ Approved for use outside HVHZ Impact Resistant Design Pressure: -196 psf	<u>CERus-1014</u> QAI Laboratories Code Evaluation Report confirms testing and code compliance when installed per <u>installation instructions</u> .
BRAVA SLATE & BRAVA MULTI-WIDTH SLATE Polymeric Roof Coverings Simulating Natural Slate Class A and Class C Fire Ratings Available*	<u>FL# 41880.2</u> Approved for use in HVHZ Approved for use outside HVHZ Impact Resistant Design Pressure: -206 psf	<u>CERus-1014</u> QAI Laboratories Code Evaluation Report confirms testing and code compliance when installed per <u>installation instructions</u> .
BRAVA SPANISH BARREL TILE Polymeric Roof Coverings Simulating Clay Barrel Tile Class A and Class C Fire Ratings Available*†	<u>FL# 41880.3</u> Approved for use in HVHZ Approved for use outside HVHZ Impact Resistant Design Pressure: -202 psf	<u>CERus-1014</u> QAI Laboratories Code Evaluation Report confirms testing and code compliance when installed per <u>installation instructions</u> .
BRAVA FLAT TILE Polymeric Roof Coverings Simulating Concrete Flat Tile Class A and Class C Fire Ratings Available*	<u>FL# 41880.4</u> Approved for use in HVHZ Approved for use outside HVHZ Impact Resistant Design Pressure: -109 psf	<u>CERus-1014</u> QAI Laboratories Code Evaluation Report confirms testing and code compliance when installed per <u>installation instructions</u> .

*The best way to ensure correct installations is to require **Level 1 Installation Training** for every crew member. All code compliance approvals remain contingent on installation practices that follow the published standards referenced in the evaluation report. Full installation guidelines, technical resources, codes and testing information, and training materials are available at bravarooftile.com/resources and bravarooftile.com/training.*

*Brava One Formulation is rated as Class C when installed with standard underlayment. Brava Cedar Shake and Brava Slate Systems have been tested and certified as Class A when specified fire-resistant (FR) underlayments are used. Brava Flat Tile fire testing is in progress. Confirm code eligibility for fire-rated Flat Tile assemblies.

† Brava Spanish Barrel Tile can be installed as a Class A Fire-Rated system when Class A material is installed over GAF VersaShield FR underlayment.

For more details on Brava roof system fire resistance and ratings, review [TB-241202](#) at bravarooftile.com/resources.